



Transgenderism: The Ultimate Assault on Marriage & Family


MICHELLE CRETELLA, M.D.

JOHN PAUL II ACADEMY FOR HUMAN LIFE & THE FAMILY



“A time will come when the decisive battle between the kingdom of Christ and Satan will be over marriage and the family.”

Marriage & Family: the Imago Dei



▶ Let us make man in Our image
(an immortal soul)

▶ Male and Female
(body-soul composite)

▶ Trinitarian

the free will exchange of marital love
brings forth life to populate Heaven

Marriage Deconstructed : Castrated, Sterilized, Mutilated & Enslaved Androgyny



INTERSEX = sex is a spectrum ?

- ▶ Intersex conditions = Disorders of Sex Development (DSD)
- ▶ DSD = birth defects that impair reproductive system & fertility
- ▶ DSD are rare: 0.02% of the population (2 out of 10,000 births)
 - 1) Infants with ambiguous genitalia or
 - 2) individuals whose sexual appearance fails to match what their sex chromosomes predict due to genetic defects

Science Defines Sex as BINARY

- ▶ All of the life sciences define sex according to an organism's role in reproduction
- ▶ Males donate genetic material (e.g. sperm)
- ▶ Females receive genetic material during reproduction

Sex is determined at fertilization
by sex-determining genes on sex chromosomes

- 1) Barring genetic disorders, females contain XX and males possess XY in every nucleated cell.**
- 2) No drug or surgical intervention can change sex**
- 3) Drugs *change appearance & physiology* to some degree; do not change genetics.**

Gender Identity & Development

Age 3: “I am a boy.”

Age 5: “Boys grow into men.”

Age 7: “A man in a dress is still a man.”


Note: 16 studies acknowledge that atypical gender identities can align with biological sex during childhood, adolescence and adulthood, both with and without counseling



Psychological Disorders of Assumption

University Distinguished Professor of Psychiatry at
Johns Hopkins University School of Medicine

Anorexia Nervosa



Body Integrity Identity Disorder



Body Dysmorphic Disorder



Gender Identity Disorder

ALL BEHAVIORS =

Vulnerability (genes/biology) + Environment + Choices

- ▶ **Social reinforcement/contagion** (family, schools, clubs, internet, all media, Literature)
- ▶ **parent psychopathology, family dynamics**
- ▶ **Adverse childhood events** including sexual abuse
- ▶ **Psychopathology other conditions in child** (e.g. autism)
- ▶ **Free will choices** (eg: binges on internet/soc media; porn)

Pediatric Medical Transition

- 1) **Social transition (as young as 18 mos)**
- 2) **Puberty blockers (>/= 8 y.o.)**
- 3) **Cross-sex hormones (>/= 11 y.o.)**
- 4) **Cross-sex surgeries (>/= 13 y.o.)**

Social Transition – Harmless?

The Kids are NOT Okay

- Dr. Walter Schumm re-analysis w/ missing data included & statistical errors corrected, found significantly lower self-worth among trans-affirmed kids that got worse the longer they were affirmed (Feb. 2020, Linacre Quarterly).

Social affirmation & Pubertal Suppression: **a self-fulfilling prophecy**

- ▶ **Prior to cultural propaganda & blocking puberty:
80 to 95% of gender confused youth got better**
- ▶ **With indoctrination, socialization & Blockers:
nearly 100% go on Trans hormones & surgery**

Puberty Blocking/Lupron Side Effects:

*** Emotional instability & Mental illness***

- 1) Prevents normal secondary sex characteristics
- 2) Slows bone growth & decreases adult bone mass
- 3) Prevents normal/natural sex-steroid organization of brain
- 4) Infertility that may become permanent
 - a) **Blocker at 8-11 yrs old + cross-sex hormones → permanent sterility**
- 5) Sexual dysfunction as adult

Risks of Estrogen to Males

Blood clots

Strokes

Heart attacks

Diabetes

Cancers

Emotional distress & Psychological illness

Risks of Testosterone to Females

Heart Attacks

Diabetes

Liver Disease

Sleep Apnea

Cancers

Emotional distress & Psychological illness

Suicide Risk for Trans Identified Youth comparable to other at risk groups

- 1) **Being trans-identified increases suicide risk by factor of 13**
- 2) **Anorexia increases risk by a factor of 18**
- 3) **Depression multiplies it by a factor of 20**
- 4) **Autism raises the risk by a factor of 8**

Anorexia, depression and autism also coincide with GD...

FACT CHECK: “Blockers decrease suicide risk”???

Dr. Jack Turban, et al. Pubertal Suppression for Transgender Youth [sic] & Risk of Suicidal Ideation. Pediatrics (Feb. 2020)

Table 3: Youth on puberty blockers had double the rates of serious suicide attempts resulting in hospitalization compared to the control group (45.5% versus 22.8%)

Does “Transition” Work for Adults?

- **Summer 2020 Dr. Branstrom (Sweden): transitioned adults fared worse mentally than trans-identified adults denied surgery (study suppressed/ignored by media)**
- **Complements a 2011 Swedish Study that found: 30 years post surgery, transitioned adult suicide rate 19Xs greater than general public**

This is the Age of Sin.



Reject the order of creation.

Revel in the annihilation of Man as the image of God.

Destroy. Plot designs of death.

Disfigure the face of Man and Woman.